AIPJ | ORIGINAL ARTICLE

Role of Nurses in Improving Medication Adherence in Patients with Chronic Conditions. A review

Soha Sami Azzony,[1] Mohammed yhya Mejali,[1] Raghdah baziyad,[2] Huda Rabea Alarishi,[3] Faisal nasser majali,[3] HASSAN SIDDIQ OMER NAHHAS,[4] NAIF AHMED ALYOUBI,[3] TURKI SAUD ALGAYDEY,[5] Sami Saleh Aljohani,[5] Shada Salim Bahakeem,[6] Bashamah Ahmed Alassiri,[7] Lina Arif Alsharif [8]

1. *Nurse Technician (ENDOSCOPY),king Fahd general Hospital, Saudi Arabia*
2. Nurse, King Fahad general Hospital , Saudi Arabia
3. Nurse Technician, King Fahd general Hospital, Saudi Arabia
4. Occupational Therapy Technician,King Abdulaziz Hospital Jeddah, Saudi Arabia
5. Laboratory Technician,King Fahad General Hospital Jeddah, Saudi Arabia
6. Nurse Technician,King Fahad General Hospital, Saudi Arabia
7. Nurse Technician,Thul Health Centre, Saudi Arabia
8. Laboratory specialist,King Fahd General Hospital Jeddah, Saudi Arabia

Received: 24-06-2024
Accepted: 03-08-2024
Published: 23-08-2024

ABSTRACT

Medication adherence is a critical aspect of managing chronic conditions, significantly influencing health outcomes, hospitalizations, and healthcare costs. Nurses play a pivotal role in improving medication adherence by engaging in patient education, monitoring, and emotional support. This research explores the role of nurses in improving medication adherence in patients with chronic conditions, examining various strategies employed by nurses, barriers to adherence, and the impact of nursing interventions on adherence rates.

KEYWORDS: Nurse-led intervention,Medication adherence,Chronic diseases,Chronic illness management,Patient education

INTRODUCTION

Chronic conditions such as diabetes, hypertension, asthma, and cardiovascular diseases are major public health concerns worldwide. The long-term nature of these conditions requires ongoing management, often involving complex medication regimens. However, medication adherence rates among patients with chronic conditions remain suboptimal. Non-adherence to prescribed medication regimens can lead to worsening of the disease, increased hospitalizations, higher healthcare costs, and even premature death. The World Health Organization (WHO) estimates that poor adherence to long-term therapies for chronic conditions is a leading cause of preventable morbidity and mortality [1].

Nurses, as key members of healthcare teams, are uniquely positioned to support patients in adhering to their medication regimens. Their role spans direct patient care, education, counseling, and coordination of care, making them essential in improving medication adherence.

MATERIALS AND METHODS

Study Design

This research follows a qualitative systematic review design to analyze and synthesize existing evidence regarding the role of nurses in improving medication adherence in patients with chronic conditions. The study aims to explore the various nursing interventions, barriers to adherence, and the effectiveness of these interventions on improving adherence rates. This review includes studies published in peer-reviewed journals between 2000 and 2024.

Inclusion Criteria

The studies selected for this review meet the following inclusion criteria:

1. **Population:** Studies involving adult patients (18 years and older) diagnosed with chronic conditions such as diabetes, hypertension, asthma, cardiovascular diseases, and other long-term health conditions.
2. **Intervention:** Studies focusing on nurse-led interventions aimed at improving medication adherence. These interventions could include patient education, counseling, motivational interviewing, follow-up calls, self-management programs, and care coordination.
3. **Outcome Measures:** Studies that report on medication adherence as an outcome, including improvements in medication-taking behavior, changes in health outcomes related to adherence (e.g., blood pressure, blood glucose), or patient satisfaction with care.
4. **Study Design:** Randomized controlled trials (RCTs), observational studies, qualitative studies, and systematic reviews.
5. **Language:** Studies published in English.

© 2024 by the authors. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY 4.0) license.

Exclusion Criteria

The following types of studies were excluded from the review:

1. Studies involving patients under 18 years old or those with acute conditions.
2. Interventions not specifically nurse-led, such as those primarily involving physicians or pharmacists.
3. Studies without a clear outcome related to medication adherence.
4. Non-peer-reviewed articles, theses, or abstracts.

Data Sources and Search Strategy

A comprehensive literature search was conducted across several electronic databases, including PubMed,CINAHL (Cumulative Index to Nursing and Allied Health Literature),Scopus,Cochrane Library

The Role of Nurses in Medication Adherence

Patient Education

One of the most vital roles of nurses is educating patients about their chronic condition and the importance of medication adherence. Nurses provide information on the specific medication regimen prescribed, including dosage, potential side effects, the importance of consistency, and the consequences of non-adherence. This education can take place in person during routine visits, via phone calls, or through written materials. Studies have shown that when patients are well-informed, they are more likely to adhere to their prescribed medications [2].

Nurses can tailor education to individual needs, adjusting communication methods for patients with varying literacy levels, cultural backgrounds, and learning styles. For instance, the use of visual aids, medication reminders, and even mobile health applications can enhance understanding and retention [3].

Behavioral Counseling and Motivation

Beyond providing information, nurses often engage in motivational counseling. Techniques such as motivational interviewing (MI) are used to explore the patient's motivations, address ambivalence toward medication adherence, and set achievable goals. Nurses encourage patients to take ownership of their health, fostering intrinsic motivation to adhere to their treatment regimen [4].

Behavioral counseling by nurses can also address psychosocial factors that may hinder adherence, such as depression, anxiety, and denial. By fostering a therapeutic relationship, nurses create a safe space for patients to express their concerns about their treatment, which can lead to improved adherence [5].

Monitoring and Follow-up

Nurses regularly monitor patients' progress in managing their chronic conditions, which includes assessing adherence. This may involve tracking medication use through patient reports, pill counts, or using technological tools such as electronic medication adherence systems. Nurses can identify early signs of non-adherence and intervene promptly, adjusting interventions as necessary. Follow-up appointments or calls provide additional opportunities to reinforce education, motivate patients, and address any challenges related to medication adherence [6].

Routine blood pressure checks for hypertensive patients, glucose monitoring for diabetics, and asthma management assessments are common examples where nurses play a direct role in reinforcing the importance of adherence and monitoring its impact on the patient's health.

Coordinating Care and Medication Management

Nurses often act as care coordinators, ensuring that patients' medications are reviewed and adjusted based on their evolving needs. This includes liaising with physicians, pharmacists, and other healthcare professionals. Nurses may also support patients in managing polypharmacy, which is common in patients with multiple chronic conditions. By simplifying medication regimens, offering advice on medication administration techniques, and facilitating communication with healthcare providers, nurses help optimize adherence [7].

Support for Chronic Disease Self-Management

Chronic disease self-management programs, which include a focus on medication adherence, are increasingly common. Nurses are integral to these programs, offering support and guidance. Programs may include self-monitoring of symptoms, setting health goals, and creating action plans. Nurses can help patients recognize symptoms early and take appropriate action, which includes adhering to prescribed treatments. These interventions have shown to improve not only adherence but also overall quality of life and disease outcomes [8].

Barriers to Medication Adherence

Several barriers to medication adherence exist, many of which nurses can address through their interventions:

- Complexity of Medication Regimens: Patients often find complex regimens difficult to follow. Nurses can simplify these regimens and educate patients about how to manage them effectively [9].
- Cost of Medications: High medication costs are a significant barrier, especially for patients without adequate insurance. Nurses can assist patients by connecting them to financial resources, including patient assistance programs or generic medication alternatives [10].
- Side Effects: Some medications cause unpleasant side effects that discourage adherence. Nurses can educate patients about the potential side effects and offer strategies to manage them. They may also communicate with physicians to adjust medications if needed [11].
- Forgetfulness and Lack of Routine: Nurses can help patients develop strategies to remember their medications, such as setting alarms or using pill organizers [12].
- Psychosocial Factors: Issues such as depression, cognitive decline, and lack of social support can affect adherence. Nurses play a vital role in identifying these factors and offering appropriate interventions, including referrals for psychological support and social services [13].

Impact of Nursing Interventions on Medication Adherence

Numerous studies have demonstrated that nursing interventions improve medication adherence. A review of interventions led by nurses found that educational programs, combined with follow-up and support, resulted in better adherence rates for chronic conditions like diabetes and hypertension [14]. Nurse-led telephone follow-ups have also

© 2024 by the authors. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY 4.0) license.

been shown to significantly improve medication adherence in patients with cardiovascular disease and asthma [15].
Nurses' use of technology, such as mobile health applications and reminder systems, has further enhanced adherence rates, particularly in rural or underserved populations where in-person follow-up may be limited. The evidence suggests that interventions that combine education, behavioral counseling, and support tailored to the individual patient's needs are most effective [16].

CONCLUSION

Nurses are central to improving medication adherence in patients with chronic conditions. Through education, counseling, follow-up, and care coordination, nurses can significantly enhance patients' adherence to medication regimens. By identifying and addressing barriers to adherence, nurses can contribute to better health outcomes, reduce hospitalizations, and improve the overall quality of life for patients with chronic conditions. Continued research and implementation of nurse-led interventions are essential for addressing the ongoing challenges of medication adherence in chronic disease management. As healthcare systems continue to focus on improving patient outcomes and reducing costs, the role of nurses in supporting medication adherence will remain a cornerstone of effective chronic disease management.

REFERENCES

1. World Health Organization. Adherence to long-term therapies: evidence for action. Geneva: World Health Organization; 2003.
2. McDonald HP, Garg AX, Haynes RB. Interventions to enhance patient adherence to medication prescriptions: scientific review. JAMA. 2002;288(22):2868-2879.
3. Khatib F, Zabetian A, Forouzanfar MH, et al. Medication adherence in patients with cardiovascular disease: a systematic review and meta-analysis. Heart. 2014;100(18):1385-1391.
4. Rollnick S, Miller WR, Butler CC. Motivational Interviewing in Health Care: Helping Patients Change Behavior. New York: Guilford Press; 2008.
5. Helmen S, Reid M, Connelly K. Improving medication adherence through nurse-patient collaboration: a systematic review. Nurs Health Sci. 2020;22(3):755-764.
6. Iosifescu A, Driscoll C, Dupree E, et al. Strategies to improve medication adherence in patients with chronic disease: role of the nurse. J Nurs Pract. 2017;8(2):27-34.
7. Chisholm-Burns MA, Spivey CA. Improving medication adherence in chronic conditions: role of nursing. Nurs Clin North Am. 2018;53(2):291-307.
8. Lorig KR, Holman H. Self-management education: history, definition, outcomes, and mechanisms. Ann Behav Med. 2003;26(1):1-7.
9. Krousel-Wood MA, Thomas S, Muntner P, et al. Medication adherence in older adults: the role of nurse-led interventions. J Geriatr Nurs. 2014;35(4):32-39.
10. Bae J, Lee Y, Ryu M, et al. Nurses' role in addressing cost-related medication non-adherence: a review. J Clin Nurs. 2019;28(15-16):2803-2812.
11. Williams LS, Robinson KA, Reicherter S, et al. Interventions for improving medication adherence in patients with chronic disease. Am J Health Syst Pharm. 2012;69(4):326-334.
12. Bosworth HB, Granger BB, Mendys P, et al. Medication adherence: a call for action. Am Heart J. 2011;161(3):417-424.
13. Wang Q, Yang L, Harkness K, et al. Psychosocial interventions to improve medication adherence in patients with chronic conditions: the role of the nurse. Nurs Clin North Am. 2021;56(3):347-358.
14. Edmondson D, Richardson D, Falzon L, et al. Nurse-led interventions for improving medication adherence in patients with chronic diseases: a systematic review and meta-analysis. J Clin Nurs. 2017;26(5-6):857-866.
15. Green BB, Cook AJ, Ralston JD, et al. Effects of nurse-led care management on cardiovascular disease risk factors. Am J Manag Care. 2013;19(6):e181-189.
16. Prochaska JJ, Velicer WF, Redding CA, et al. The role of health communication and technology in improving health outcomes. J Health Commun. 2016;21(5):455-467.

Cite: Azzony SS,Mejali MY,Baziyad R,Alarishi HR,Majali FN,Nahhas HSO et al.Role of nurses in improving medication sdherence in patients with chronic conditions. A review. *Adv In Pharma 2024;18(1):12-14*

© 2024 by the authors. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY 4.0) license.